

SunPower X-Series: X22-370

# SunPower® Residential DC Panel

SunPower X-Series panels combine the top efficiency, durability and warranty available in the market today, resulting in more long-term energy and savings. <sup>1,2</sup>




## Maximum Power. Minimalist Design.


Industry-leading efficiency means more power and savings per available space. With fewer panels required, less is truly more.



## **Highest Lifetime Energy and Savings**

Designed to deliver 60% more energy in the same space over 25 years in real-world conditions like partial shade and high temperatures.  $^{2}$ 







### The SunPower Maxeon® Solar Cell

- Enables highest efficiency panels available <sup>2</sup>
- Unmatched reliability <sup>3</sup>
- Patented solid metal foundation prevents breakage and corrosion





### As Sustainable As Its Energy


- Ranked #1 in Silicon Valley Toxics
  Coalition 2015 Solar Scorecard 4
- First solar panels to achieve Cradle to Cradle Certified™ Silver recognition <sup>5</sup>
- Contributes to more LEED categories than conventional panels <sup>6</sup>



### **Best Reliability, Best Warranty**

With more than 25 million panels deployed around the world, SunPower technology is proven to last. That's why we stand behind our panel with the industry's best 25-year Combined Power and Product Warranty, including the highest Power Warranty in solar.







# X-Series: X22-370 SunPower® Residential DC Panel

Electrical Data		
	SPR-X22-370	
Nominal Power (Pnom) <sup>7</sup>	370 W	
Power Tolerance	+5/0%	
Panel Efficiency	22.7%	
Rated Voltage (Vmpp)	59.1 V	
Rated Current (Impp)	6.26 A	
Open-Circuit Voltage (Voc)	69.5 V	
Short-Circuit Current (Isc)	6.66 A	
Max. System Voltage	1000 V IEC & 600 V UL	
Maximum Series Fuse	15 A	
Power Temp Coef.	−0.29% / ° C	
Voltage Temp Coef.	−167.4 mV / ° C	
Current Temp Coef.	2.9 mA / ° C	

Operating Condition And Mechanical Data		
Temperature	−40° C to +85° C	
Impact Resistance	25 mm diameter hail at 23 m/s	
Appearance	Class A+	
Solar Cells	96 Monocrystalline Maxeon Gen III	
Tempered Glass	High-transmission tempered anti-reflective	
Junction Box	IP-65, Multi-Contact (MC4)	
Weight	18,6 kg	
Max. Load	G5 Frame: Wind: 3000 Pa, 305 kg/m² front & back Snow: 6000 Pa, 611 kg/m² front G3 Frame: Cyclonic Wind: 7500 Pa, 764 kg/m² <sup>9</sup> Snow: 5400 Pa, 550 kg/m² front	
Frame	Class 1 black anodised (highest AAMA rating)	

Tests And Certifications		
Standard Tests <sup>8</sup>	IEC 61215, IEC 61730, UL1703 (Type 2 Fire Rating)	
Quality Management Certs	ISO 9001:2015, ISO 14001:2015	
EHS Compliance	RoHS, OHSAS 18001:2007, lead free, REACH SVHC-163	
Sustainability	Cradle to Cradle Certified™ Silver. "Declare." listed.	
Ammonia Test	IEC 62716	
Desert Test	10.1109/PVSC.2013.6744437	
Salt Spray Test	IEC 61701 (maximum severity)	
PID Test	1000 V: IEC 62804, PVEL 600 hr duration	
Available Listings	TUV, UL, MCS, CEC	





- (A) Cable Length: 1000 mm +/-10 mm
- G5 frames have no mounting holes. Please read the safety and installation guide.
- 1 SunPower 360 W compared to a Conventional Panel on same-sized arrays (260 W, 16% efficient, approx. 1.6 m²), 4% more energy per watt (based on PVSyst pan files), 0.75%/yr slower degradation (Campeau, Z. et al. "SunPower Module Degradation Rate," SunPower white paper, 2013).
- 2 Based on search of datasheet values from websites of top 10 manufacturers per IHS, as of January 2017.
- 3 #1 rank in "Fraunhofer PV Durability Initiative for Solar Modules: Part 3". PVTech Power Magazine, 2015. Campeau, Z. et al. "SunPower Module Degradation Rate," SunPower white paper, 2013.
- 4 SunPower is rated #1 on Silicon Valley Toxics Coalition's Solar Scorecard.
- 5 Cradle to Cradle Certified is a multi-attribute certification program that assesses products and materials for safety to human and environmental health, design for future use cycles, and sustainable manufacturing.
- $\,$  6 X-Series and E-Series panels additionally contribute to LEED Materials and Resources credit categories.
- 7 Standard Test Conditions (1000 W/m² irradiance, AM 1.5, 25° C). NREL calibration Standard: SOMS current, LACCS FF and Voltage.
- 8 Type 2 fire rating per UL1703:2013, Class C fire rating per UL1703:2002.
- 9 AS/NZS4040.2 Static strength test regime, AS/NZS1170.2 Structural Design Actions Wind Actions.

Made in Philippines (Cells) Modules Assembled in Mexico

See www.sunpowercorp.com.au/company for more reference information. Specifications included in this datasheet are subject to change without notice.

©2018 SunPower Corporation. All rights reserved. SUNPOWER, the SUNPOWER logo and MAXEON are trademarks or registered trademarks of SunPower Corporation. Cradle to Cradle Certified  $^{\rm TM}$  is a certification mark licensed by the Cradle to Cradle Products Innovation Institute.





1 800 786 769 529757 REV A / A4\_AU